Author Index

Arai, A., see Blanco, R. 1
Asmundsdottir, A. M., see Torsi, G. 207
Bächmann, K.
——, Blaskowitz, K.-H., Bukatsch, H., Pohl, S. and Sprenger, U.
New developments in ion chromatographic methods for atmospheric analysis 307
Ban, T., see Oeda, T 117
Baur, J. E.
—— and Wightman, R.M.
Microcylinder electrodes as sensitive detectors for high-efficiency, high-speed liquid chromatography 65
Berkowitz, J., see Strassburg, R. 343
Betowski, L. D., see Yinon, J. 75
Blanco, R.
——, Arai, A., Grinberg, N., Yarmush, D. M. and Karger, B. L.
Role of association on protein adsorption isotherms.
β-Lactoglubolin A adsorbed on a weakly hydrophobic surface 1
Blaskowitz, K.-H., see Bächmann, K. 307
Bonn, G., see Reiffenstuhl, S. 296
Borén, H., see Lundgren, B. 23
Boto, K. G., see Susic, M. 175
Brinkman, U. A. Th., see Irth, H. 317
Buchberger, W.
—— and Rieger, G.
Determination of cations in tear fluid samples by non-suppressed ion chromatography with indirect UV detection 407
—— and Winsauer, K.
Alumina as stationary phase for ion-chromatography and column-coupling techniques 401
Bukatsch, H., see Bächmann, K. 307
Camilleri, P.
——, Dolle, R. E., Novelli, R. and Salter, C. J.
Separation of the enantiomers of a triester of 2,2-difluorocitrate 258
Chambaz, D.
—— and Haerdi, W.
On-line preconcentration and elution of trace metals by ion chromatography 335
Cheam, V.
Determination of organic and inorganic acids in precipitation samples 381
Chen, J.
—— Fritz, J. S.
Chromatographic determination of water using spectrophotometric detection 279
Chiavari, G., see Torsi, G. 207
De Jong, G. J., see Irth, H. 317
Dolle, R. E., see Camilleri, P. 258
Drake, P. A., see Lamb, J. D. 367
Ebdon, L., see Williams, T. 361
Erlandsson, P.
—— and Nilsson, S.
Use of a fragment of bovine serum albumin as a chiral stationary phase in liquid chromatography 35
Fagioli, F., see Torsi, G. 207
Frei, R. W., see Irth, H. 317
——, see Schreurs, M. 351
Fritz, J. S., see Chen, J. 279
——, see Miura, Y. 155
——, see Strassburg, R. 343
Fukai, F.
——, Suzuki, H. and Katayama, T.
Chromatographic method for the preparation of apo-cellular retinol-binding protein and apo-cellular retinoic acid-binding protein from their holo-types 107
Gelder, W. M. J., van, see Van Gelder, W. M. J. 13
Gooijer, C., see Schreurs, M. 351
Greef, J., van der, see Van Gelder, W. M. J. 13
Grimvall, A., see Lundgren, B. 23
Grinberg, N., see Blanco, R. 1
Haddad, P. R.
Sample cleanup methods for ion chromatography 267
Haerdi, W., see Chambaz, D. 335
Harade, K.-I., see Oka, H. 197
Hayakawa, K., see Yamamoto, A. 145
Henis, J. M. S., see Milby, K. H. 133
Hirai, A., see Oeda, T. 117
Ho, S. V., see Milby, K. H. 133
Hostettmann, K., see Slacanin, I. 234
Hu, Y.
—— and Ziffer, H.
Gas chromatography-based method for assigning the configurations of allylic and benzylic alcohols and for determining their optical purities 227
Ikeda, K.
——, Suzuki, S. and Watanabe, Y.
Determination of sunscreen agents in cosmetic products by reversed-phase high-performance liquid chromatography 240

Irth, H.
——, De Jong, G. J., Brinkman, U. A. Th. and Frei, R. W.
Determination of Pb^{II}, Cd^{II} and Bi^{III} by reversed-phase liquid chromatography of their diethyldithiocarbamate complexes with post-column ligand exchange and selective spectrophotometric detection 317
Ito, Y., see Oka, H. 197
Jarrett, H. W., see Massom, L. R. 252
Jones, P.
—— and Schwedt, G.
Dyestuff-coated high-performance liquid chromatographic resins for the ion-exchange and chelating-exchange separation of metal ions 325
——, see Wiliams, T. 361
Jones, T. L., see Yinon, J. 75
Jong, G. J. de, see Irth, H. 317
Jongejan, P. A. C., see Slanina, J. 297
Jungblut, P.
—— and Klose, J.
Dye ligand chromatography and two-dimensional electrophoresis of complex protein extracts from mouse tissue 125
Karger, B. L., see Blanco, R. 1
Katayama, T., see Fukai, F. 107
Keuken, M. P., see Slanina, J. 297
Klose, J., see Jungblut, P. 125
Laghi, C., see Torsi, G. 207
Lamb, J. D.
—— and Drake, P. A.
Chemically suppressed anion chromatography based on macrocycle–cation complexation 367
Lundgren, B.
——, Borén, H., Grimvall, A. and Sävenhed, R.
Isolation of off-flavour compounds in water by chromatographic sniffing and preparative gas chromatography 23
Malcolme-Lawes, D. J.
—— and Moss, P.
Novel transport detector for liquid chromatography. I. Preliminary experiments 53
Maoka, T.
—— and Matsuno, T.
Diastereomeric resolution of carotenoids. IV. Carotenoids with a 4-hydroxy-β-end group 189
Marston, A., see Slacanin, I. 234
Massom, L. R.
—— and Jarrett, H. W.
Purification of argininosuccinase by high-pressure immunoaffinity chromatography on monoclonal anti-argininosuccinase–silica 252
Matsunaga, A., see Yamamoto, A. 145
Matsuno, T., see Maoka, T. 189
Matumoto, S., see Nakamura, Y. 165
Milby, K. H.
——, Ho, S. V. and Henis, J. M. S.
Ion-exchange chromatography of proteins. The effect of neutral polymers in the mobile phase 133
Miura, Y.
—— and Fritz, J. S.
Benzenepolycarboxylic acid salts as eluents in anion chromatography 155
Mizukami, E., see Yamamoto, A. 145
Miyakami, M., see Yamamoto, A. 145
Moss, P., see Malcolme-Lawes, D. J. 53
Nakamura, Y.
——, Yamagishi, A., Matumoto, S., Tohkubo, K., Ohtu, Y. and Yamaguchi, M.
High-performance liquid chromatography for optical resolution on a column of an ion-exchange adduct of spherically shaped synthetic hectorite and optically active metal complexes 165
Nakazawa, H., see Oka, H. 197
Nguyen, V. D.
Modification of a Dionex System 12 ion chromatograph for sequential determination of the main components in atmospheric precipitation 413
Nilsson, S., see Erlandsson, P. 35
Novelli, R., see Camilleri, P. 258
Oeda, T.
——, Hirai, A., Ban, T., Tamura, Y. and Yoshida, S.
TSK-Toyopearl gels for the preparative separation of sterol carrier $protein_2$ from rat liver 117
Ohto, M., see Yamamoto, A. 145
Ohto, Y., see Nakamura, Y. 165
Oka, H.
——, Harada, K.-I., Suzuki, M., Nakazawa, H. and Ito, Y.
Foam counter-current chromatography of bacitracin. I. Batch separation with nitrogen and water free of additives 197
Okada, T., see Tan, S. 246
Podlaha, O.
—— and Töregård, B.
Some new observations on the equivalent carbon numbers of triglycerides and relationship between changes in equivalent carbon number and molecular structure 215
Pohl, S., see Bächmann, K. 307
Reiffenstuhl, S.
—— and Bonn, G.
Determination of mono-, bi- and trivalent cations using non-suppressed ion chromatography 289

Richards, M. P.
Characterization of the metal composition of metallothionein isoforms using reversed-phase high-performance liquid chromatography with atomic absorption spectrophotometric detection 87
Rieger, G., see Buchberger, W. 407
Sävenhed, R., see Lundgren, B. 23
Salter, C. J., see Camilleri, P. 258
Scheffer, J. J. C., see Van Gelder, W. M. J. 13
Schmuckler, G., see Strassburg, R. 343
Schreurs, M.
——, Somsen, G. W., Gooijer, C., Velthorst, N. H. and Frei, R. W.
Lanthanide luminescence quenching as a detection method in ion chromatography. Chromate in surface and drinking water 351
Schwedt, G., see Jones, P. 325
Slacanin, I.
——, Marston, A. and Hostettmann, K.
Modifications to a high-speed counter-current chromatograph for improved separation capability 234
Slanina, J.
——, Keuken, M. P. and Jongejan, P. A. C.
Precision and accuracy of ion chromatography in dry deposition measurements 297
Somsen, G. W., see Schreurs, M. 351
Sprenger, U., see Bächmann, K. 307
Strassburg, R.
——, Fritz, J. S., Berkowitz, J. and Schmuckler, G.
Injection peaks in anion chromatography 343
Susic, M.
—— and Boto, K. G.
High-performance liquid chromatographic determination of humic acid in environmental samples at the nanogram level using fluorescence detection 175
Suzuki, H., see Fukai, F. 107
Suzuki, M., see Oka, H. 197
Suzuki, S., see Ikeda, K. 240
Takata, Y.
Effect of eluent impurities and sample matrix on quantitative analysis by ion chromatography 393
Tamura, Y., see Oede, T. 117
Tan, S.
——, Tatsuno, T. and Okada, T.
Selected-ion monitoring of 4-vinyl-1-cyclohexene in acrylonitrile–butadiene–styrene polymer products and food simulants 246
Tatsuno, T., see Tan, S. 246
Töregård, B., see Podlaha, O. 215
Tohkubo, K., see Nakamura, Y. 165
Torsi, G.
——, Chiavari, G., Laghi, C., Asmundsdottir, A. M., Fagioli, F. and Vecchietti, R.
Determination of the absolute number of moles of an analyte in a flow-through system from peak-area measurements 207
Tuinstra, L. G. M. Th., see Van Gelder, W. M. J. 13
Van der Greef, J., see Van Gelder, W. M. J. 13
Van Gelder, W. M. J.
——, Tuinstra, L. G. M. Th., Van der Greef, J. and Scheffer, J. J. C.
Characterization of novel steroidal alkaloids from tubers of *solanum* species by combined gas chromatography–mass spectrometry. Implications for patato breeding 13
Vecchietti, R., see Torsi, G. 207
Velthorst, N. H., see Schreurs, M. 351
Verdini, A. S., see Viscomi, G. C. 99
Viscomi, G. C.
——, Ziggiotti, A. and Verdini, A. S.
Preparative purification of *plasmodium falciparum* circumsporozoite protein synthetic polypeptides by displacement chromatography 99
Watanabe, Y., see Ikeda, K. 240
Wightman, R. M., see Baur, J. E. 65
Williams, T.
——, Jones, P. and Ebdon, L.
Simultaneous determination of Cr(III) and Cr (VI) at ultra-trace levels using ion chromatography with chemiluminescence detection 361
Winsauer, K., see Buchberger, W. 401
Yamagishi, A., see Nakamura, Y. 165
Yamaguchi, M., see Nakamura, Y. 165
Yamamoto, A.
——, Matsunaga, A., Ohto, M., Mizukami, E., Hayakawa, K. and Miyazaki, M.
Theoretical considerations on the appearance of sample and system peaks in ion chromatography with photometric detection 145
Yarmush, D. M., see Blanco, R. 1
Yinon, J.
——, Jones, T. L. and Betowski, L. D.
Particle beam liquid chromatography–electron impact mass spectrometry of dyes 75
Yoshida, S., see Oeda, T. 117
Ziffer, H., see Hu, Y. 227
Ziggiotti, A., see Viscomi, G. C. 99